


Synergy 21 LED Flex Strip 120 DW (CCT) DC12V 48W per color IP67



kwh/1000h:	105,60
Lumens:	6000
Watt:	96,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



Colour selection between 3000-7000K possible with controller
ww: 3000K \pm 250, cw: 6500K \pm 250
5 metres, (5000*12.4*4mm)
12 Volt, common anode, 96 Watt total
600 high power 3528SMD LED
DC12V, 48W per colour, silicon tube waterproof, IP67
6000Lm
Shortenable all 6 LED

Strip can be shortened at marking points with sharp scissors.
!Attention! Strip must first be checked for functionality.
Only cut the strip when there is no current.

Energy efficiency class: A
kWh/1000h: 96

Please note that LED strips must also be cooled.
Make sure that the LED strip does not exceed an operating temperature of 40°C, otherwise the service life cannot be guaranteed.

Attributes

Attribute	Value
Abstrahlwinkel:	120°
Dimmbar:	Ja
Grad:	120°
Länge:	5
LED Strip Länge:	5
Lichtfarbe:	dual weiss
Schutzklasse:	IP67
Weight:	0.305 Kg
Warranty:	24.00 Months

Additional Images





Accessories

Part No.	Name
85999	PortaLuce® Lightcontroller N°3551 LED RGB-W/Dualwhite, gemeinsam +
135731	Synergy 21 LED Controller 3653 LED RGB-WW (RGB-CCT) Master Set
98691	Synergy 21 LED Controller EOS 03 DMX512 dual white (CCT) wall switch black
124048	Synergy 21 LED Controller DMX 512 Slave RGBW 4*5A
154885	Synergy 21 LED controller dual white (CCT) DC12/24V 4 zones *Milight/Miboxer*
157592	Synergy 21 LED remote smart panel dual white (CCT) 4-zones *Milight/Miboxer*
158722	Synergy 21 LED remote dual white (CCT) 4 zones *Milight/Miboxer*
159413	Synergy 21 LED remote smart panel dual white (CCT) 4-zones *Milight/Miboxer*
159525	Synergy 21 LED remote dual white (CCT) 4 zones *Milight/Miboxer*
139522	Mean Well power supply - 12V 120W IP67
93681	Mean Well power supply - 12V 150W dimmable IP65
81741	Synergy 21 LED Flex Strip add. Silicone mounting clip 10 pack
81069	Synergy 21 LED zub Hollow Socket with Screw Terminals
81068	Synergy 21 LED zub wooden plug with screw terminals