



## Synergy 21 LED office line wall panel gray, dimmable



kwh/1000h:	44,00
Lumens:	3500
Watt:	40,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



LED panel office line  
Suitable for wall mounting (workplace lighting)

Frame colour: grey/silver RAL9006  
Power consumption: 40Watt, 20W up, 20W down  
Lumen output: 3500lm  
Neutral white: 4100k ±150  
Colour rendering: CRI >80  
UGR: <19 with light downwards, no UGR upwards  
Beam angle: 120° (total)  
Operating temperature: -20° to +45°  
Power supply: 100-240V  
Power supply: built-in power supply 0-10V dimmable  
Size: 600mm x 215mm x 30mm  
Aluminium housing incl. ceiling mounting kit

Energy efficiency class: A++  
kWh/1000h: 45

## Attributes

Attribute	Value
-----------	-------

Abstrahlwinkel:	120
CRI:	80
Dimmbar:	Ja
Grösse:	600*215
LED - Gehäusefarbe:	grau
Lichtfarbe:	neutralweiß
Lichtfarbe in Kelvin:	4100
Lumen:	3500
Weight:	3 Kg
Warranty:	60.00 Months

## Additional Images

