

ALLNET ALL-WR0235N / Wireless N Pocket-Travel-Router/AP

>>> [Zum Shop-Artikel](#)



EAN CODE



Highlights:

- Pocket-Router/AP
- 2,4GHz Wireless max. 300Mbps
- WEP/WPA Verschlüsselung,
- Ports: 1 WAN Port, 1x LAN Port, 1x Micro-USB 5V, 1x USB 2.0 für NAS Option.
- Default Firmware ist embedded Linux. Closed-Source siehe Bilde
- Optional Flashbar mit OpenWRT "auf eigene Gefahr siehe <https://openwrt.org/toh/nexx/wt3020> WT3020H"

Wireless NAS Router

Mini Size, Wide Coverage



300Mbps High Transmission Rate



Two Net Port Wire and wireless connection



Expand Net Port


Connect into WAN with exterior cable



WiFi Sharing with Whole Family



All-around WiFi Coverage



Multiple Power Supply



USB Power Charge




Cellphone Power Supply



Mobile Power Supply

Plug and Play





Specification

<p>General</p>	<p>Model: ALL-WR0235 Type: Repeater,Router Interface: Micro USB,RJ45,USB 2.0 Router Connectivity Type: Ethernet Transmission Rate: 300Mbps Speed of Ethernet Port: 100Mbps Network Protocols: IEEE 802.11b,IEEE 802.11g,IEEE 802.11n Wireless Standard: Wireless G,Wireless N Wireless Security: WEP,WPA WiFi Distance : 100M</p>
----------------	--



Art.-Nr.: 114960
Herst.-Nr.: ALL-WR0235

	Supports System: Linux,Mac OS,Win vista,Win XP,Windows 7,Windows 8 LAN Ports: 2 ports Max. LAN Data Rate: 300Mbps
Product Detail	Freq: 100Hz - 16KHz DC Port: No Quantity of Antenna: 2 Working Voltage: 5V Language: English Built-in VPN: Not Support Firewall Settings: Support
Dimensions and Weight	Product weight: 0.030 kg Package weight: 0.096 kg Product size: 6.50 x 4.50 x 2.00 cm / 2.56 x 1.77 x 0.79 inches Package size: 12.00 x 8.00 x 3.50 cm / 4.72 x 3.15 x 1.38 inches
Packing List	Packing List: 1 x Wireless NAS Router, 1 x USB Cable

Zubehör

Art.-Nr.	Name
158941	ALLNET Ersatznetzteil - 5V/3A 9V/2A 12V/1,5A auf USB Typ A Buchse QCA3.0