

ALLNET meeting room RGB LED tablet 10 inch RK3568 Android 11 and NFC, color black

>>> [Go to the shop article](#)



EAN CODE



ALLNET Meeting Room RGB LED Tablet 10 inch RK3568 Android 11 and NFC, colour black

Includes power supply unit and integrated snap-in wall bracket with theft protection. RGB LED for displaying e.g. warning signals, occupancy of meeting rooms etc.

The NFC also makes it very easy to implement time recording terminals or info terminals with ID, such as multi-party residential complexes.

Currently tested Android time terminal software:

PDS time	works, but config file must be imported manually, camera is not addressed
AIDA time	works with our article numbers 174715/174716/174717/174888 and 182897 according to the manufacturer

We are happy to provide the API/SDK for NFC/RFID and LED on request.

For further information, please refer to the NFC data sheet.

System	CPU	RK3568, Quad-core cortex A55, 1.6G
	RAM	4GB



Display	Internal memory	16GB
	Operation system	Android 11
	Touch screen	10-Point capacitive touch
	Panel	10.1"LCD panel
	Resolution	1280*800
	Active area	217.4(H)x136.4mm(V)
	Display mode	Normally black ,IPS
	Viewing angle	85/85/85/85/85(L/R/U/D)
	Contrast ratio	800
	Luminance	280cd/m2
Network	Aspect Ratio	16:10
	WiFi	2.4/5GHz 802.11a/b/g/n
	Ethernet	100M/1000M ethernet
Interface	Buletooth	Bluetooth 5.0
	Card slot	SD card
	USB	USB Host
	Micro USB	Micro USB OTG
	USB	USB for serial
	RJ45 with POE	RJ45
	POE	IEEE802.3at
	Power jack	DC power input
Media play	Earphone	3.5mm earphone
	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4K
	Audio format	MP3/WMA/AAC etc.
Other	Photo	jpeg, png, etc.
	VESA	75x75mm
	NFC	NFC with 13.56MHz
	Camera	2.0M/P,Front camera
	Microphone	Microphone
	Speaker	2*1.5W



Part No.: 205818
Vendor Part No.: MeetOne-100

			LED Light bar			LED light bar with RGB and mixed colour		
			Working temp			0--40degree		
			Certificates			CE/FCC/RoHS		
			Language			Multi-language		
Accessories			Adapter			Adapter,12V/1.5A		
			User manual			yes		
Unit (Without packaging)			Giftbox (With Packaging)			Carton 5pcs/CTN		
L	W	H	L	W	H	L	W	H
259.36mm	178.36mm	28mm	390mm	220mm	68mm	405mm	363mm	240mm
Net(kg)	0.74KG		Net(kg)	2.3KG				

Attributes

Attribute	Value
Abmessung:	259.36 x 278.36 x 28
Alternative Betriebssysteme:	Linux;
Arbeitsspeicher (RAM):	8
Auflösung Panel:	1280x800
Betriebssystem:	Android 11
Bluetooth:	ja
Chipset:	RK3568
Diagonale:	10
Einsatzbereiche:	Indoor
Farbe Displayrand:	schwarz
Farbe Gehäuse:	schwarz;
Hauptspeicher:	32
Kamera:	ja
Mobilfunk:	nein
Montageart:	integrierte Halterung;



Attribute	Value
NFC&RFID:	13,56MHz
Produktart:	Tablet
Stromversorgung:	PoE&Netzteil
WLAN:	2,4&5
Weight:	1.419 Kg
Warranty:	24.00 Months

Accessories

Part No.	Name
149144	VESA Adapterplatte Mini-PC an VESA Monitor-Halterung
161472	VESA Desktop Standfuß Wand-Halterung Flex für Tablet, Display, Monitor 7,5cm/10cm Vesa, 2 Gelenke
174452	VESA desktop stand mount Flex for tablet
146334	VESA wall mount for tablet, monitors very flat with securing
107727	HEP Power Supply - 12V 12W - HEP for Flush Mount Box
168029	ALLNET ALL-WCL1200AC / 1200Mbit Wireless Client
198301	VESA Standfuß Halterung höhenverstellbar für Tablet, Display
198302	VESA Standfuß Halterung höhenverstellbar für Tablet, Display
206389	ALLNET Ersatznetzteil 12V/2,5A Unterputznetzteil rund Standa
210286	ALLNET Ersatznetzteil zbh. Hohlbuchse -> Hohlstecker Adapterkabel Verlängerung 4,0mm x 1,7mm -> 4,0mm x 1,7mm 1,5m
133125	ALLNET Passives Injektor Adapter Kabel Set DC Hohlstecker Adapter 5.5 mm gerader Stecker
112270	ALLNET ALL048900V2 / Power over Ethernet Injector AT++ 90W
186548	ALLNET PoE Injector Gigabit PoE & PoE+ (15,4W/30W) / plastic
235428	ALLNET PoE Injector MultiGigabit • PoE bt 90W • 1G/2.5G/5G/10G PoE & PoE bt (15,4W/30W/60W/90W) • metal housing • wall mounting • ALL-PI103MG-BT90-10G
209413	ALLNET Ersatznetzteil 12V/1,5A 4,0mm Hohlstecker Adpater EU/US/UK
248961	ALLNET Medical Tablet zbh. Netzteil 12V/2000mA 4.0mm Stecker