

.ų.


.....

- Cascadable to 3 levels provides up to 64 video signals.
- Installs in minutes.
- Maintains highest single link video resolution (up to 1920 x 1200).
- DDC, DDC2, DDC2B Compatible (Port 1 only).
- OS Support: Windows 2000, Windows XP, Linux, Mac and Sun

| Package Content

- 1x 4-Port DVI Video Splitter
- 1x Power Adapter
- 1x User Manual

l Diagram



+ View enlargement

I Specification

....

Computer Connections		4	
Connectors	Video In	1 x DVI Female (White)	
	Audio In	1 x Mini Stereo Jack Female (Green)	
	Video Out	4 x DVI Female (White)	
	Audio Out	4 x Mini Stereo Jack Female (Green)	
	Power	1 x DC Jack (Black)	
LEDs	Online	1 (Orange)	
	Selected	1 (Green)	
Resolution		1920 x 1200 @60 Hz	

Signal Range		Up to 5m (15')	
Power Consumption		DC5.3V,4.8W (Max.)	
Environment	Operating Temp.	0-50°C	
	Storage Temp.	-20-60°C	
	Humidity	0-80% RH, Non-condensing	
Physical Properties	Housing	Metal	
	Weight	0.72 kg	
	Dimensions (LxWxH)	21.00 x 8.70 x 5.50 am	

* The specification and pictures are subject to change without notice.

* All trademarks and logos are the properties of their respective holders.

*	Тор	1

ATEN.com is published by ATEN International Co. Ltd., Taiwan. All rights reserved.