


Synergy 21 LED subordinate garden lampe 9W RGB+CCT with RF and WLAN IP65 24V *Milight/Miboxer*



| | |
|----------------------------|------------|
| kwh/1000h: | 9,90 |
| Lumens: | 700 |
| Watt: | 9,0 |
| Nominal Service Life: | 35000 Std. |
| Switching Cycles: | 50000 |
| Opt. Ambient Temperature.: | 25 °C |



Discover the brilliant **9W RGB+CCT LED Garden Light** – the ideal lighting solution for your garden. With an **input voltage of DC24V** and an **output of 9W**, this garden light offers outstanding energy efficiency and durability.

The flexible **colour temperature of 2700~6500K** allows you to create the perfect atmosphere, while the **luminous flux of 700LM** and a **light output of 80LM/W** provide bright and clear illumination. With a **colour rendering index (CRI) of >80**, colours are displayed naturally and vividly.

This garden light has an impressive **lifespan of 50000 hours**, making it a long-term investment. The **illumination distance of over 10 metres** and the **beam angle of 15°** ensure far-reaching and precise illumination.

Thanks to the **IP65 protection rating**, the **9W RGB+CCT LED Garden Light** is waterproof and dustproof, ideal for outdoor use. The robust housing made of **stainless steel and PC** offers additional durability and resistance to the elements.

With an energy consumption of **9.9 kWh/1000h**, this garden light is not only powerful but also environmentally friendly. Improve your outdoor lighting with the **9W RGB+CCT LED Garden Light** and enjoy the perfect combination of functionality and aesthetics.

Product Name: 9W RGB+CCT LED Garden Light (Subordinate Lamp)
Model No.: SYS-RC1
Input Voltage: DC24V
Power: 9W
Working Temperature: -20~60°
Colour temperature: 2700~6500K

Luminous Flux: 700LM
Light Efficiency: 80LM/W
CRI: >80
Lifespan: 50000h
Illumination distance: >10m
Beam Angle: 15°
IP Rate: IP65
Housing Material: Stainless Steel+PC

Energy efficiency class: A+
kWh/1000h: 9.9

Attributes

| Attribute | Value |
|------------------------|------------|
| Abstrahlwinkel: | 15 |
| Ampere: | 0.375000 |
| CC oder CV: | CV |
| Dimmbar: | Ja |
| Grösse: | 136*35*135 |
| LED - Gehäusematerial: | Stahl |
| Lichtfarbe: | RGB-WW |
| Lichtfarbe in Kelvin: | 2700~6500 |
| Lumen: | 700 |
| Schutzklasse: | IP65 |
| Volt: | 24 |
| Weight: | 0.4 Kg |

Additional Images

Product Parameters

Product Name: 9W RGB+CCT LED Garden Light

(Subordinate Lamp)

Model No.: SYS-RC1

Input Voltage: DC24V

Power: 9W

Working Temperature: -20~60°C

Color temperature: 2700~6500K

Luminous Flux: 700LM

Light Efficiency: 80LM/W

CRI: >80


Lifespan: 50000h

Illumination distance: >10m

Beam Angle: 15°

IP Rate: IP65

Housing Material: Stainless Steel+PC



Wireless Remote Controlling by connecting the Host Controller(SYS-T1)



Smart lifestyle with beauty

16 million colors change, saturation adjustable
CCT, brightness, saturation adjustable
Make smart lighting atmosphere
meet all your requirement



Waterproof and Dustproof rate: IP65



Freely Adjustment, Easy & Convenience

360° Rotate Moving, 180° Vertical Moving, Easy To Adjust



High Efficient LED Chips

Adopt Philips LED Chips
CRI>80, highly object colors restore
Better heat dissipation and longer lifespan



Optical Lens

Anti-dazzling optical lens, diverging light scientifically, Symmetrical and bright light ray




High efficiency heat dissipation
Integrative Aluminum design, Inserted thermal conduction, with thermal convection in air movement, Protect light source lifespan

Power cable nut
Adopt stainless steel materials waterproof and dustproof Never Rusting

Anticorrosion inserted pole
High quality Aluminum, longer and more thick strong anticorrosion

Connection Diagram



COMPATIBLE REMOTE SHEET

| Product | Compatible Remote |
|---------|-------------------|
| | |
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |

Accessories

| Part No. | Name |
|----------|--|
| 158699 | Synergy 21 LED subordinate garden lamp 15W RGB+CCT with RF and WLAN IP65 24V Milight/Miboxer* |
| 158700 | Synergy 21 LED subordinate garden lampe 9W RGB+CCT with RF and WLAN IP65 24V *Milight/Miboxer* |
| 158702 | Synergy 21 LED subordinate pool light 12W RGB+CCT with RF and WLAN *Milight/Miboxer* |
| 158703 | Synergy 21 LED subordinate wall washer 24W RGB+CCT IP66 24V *Milight/Miboxer* |
| 158704 | Synergy 21 LED subordinate controller 1-channel amplifier *Milight/Miboxer* |
| 158705 | Synergy 21 LED subordinate controller 1-channel host *Milight/Miboxer* |
| 158962 | Synergy 21 LED subordinate kabel/plug SYS series *Milight/Miboxer* |
| 158963 | Synergy 21 LED subordinate kabel/plug SYS series *Milight/Miboxer* |
| 158964 | Synergy 21 LED subordinate kabel/plug SYS series *Milight/Miboxer* |
| 158965 | Synergy 21 LED subordinate kabel/plug SYS series *Milight/Miboxer* |