

Synergy 21 LED round light transparent 36W HL nw



kwh/1000h:	36,00
Lumens:	3250
Watt:	36,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



Synergy 21 LED round luminaire transparent
Light-conducting lampshade: round and suspended (HL)
Connection: 200-240 V/AC
Wattage: 36 watts
Lumen: 3250lm
CRI: >80
Light colour: neutral white
Kelvin: 4000 ±200K
Operating temperature: -20° +45° C
Beam angle: 360°
Size: Ø380mm
Height: 88mm
Weight: 2500 g
Protection class: IP20 / IK05

Mounting:
Ceiling box with ceiling bracket, steel cable
2 screws and dowels included.
Please check whether the wall plugs are the right ones for your ceiling!


Energy efficiency class: A+
kWh/1000h: 36

Image similar

Attributes


Attribute	Value
Abstrahlwinkel:	360
Betriebstemperatur:	-20 bis +45
CRI:	>80
Dimmbar:	nein
Grösse:	Ø380*88
LED - Gehäusefarbe:	transparent
LED - Gehäusematerial:	Kunststoff
Lichtfarbe:	neutralweiß
Lichtfarbe in Kelvin:	4000
Lumen:	3250
Schutzklasse:	IP20
Volt:	230
Weight:	2.5 Kg
Warranty:	24.00 Months

Additional Images





Dimension and Illumination Diagram



Height	Beam/Diameter	Angle/Beam	Diameter
1.0m	75.12/1222mm		744.41mm
2.0m	148.76/2491.75mm		1489.16mm
3.0m	223.14/3737.61mm		2238.24mm
4.0m	297.52/4983.47mm		2987.66mm
5.0m	371.90/6229.33mm		3737.08mm

